BRAIN RESEARCH

VOL. 488 NO. 1/2 CONTENTS 29 MAY 1989

Research Reports

Newborn humans and rats malnourished in utero: free plasma L-tryptophan, neutral amino acids and brain serotonin synthesis
J. Hernández R., G.G. Manjarréz and G. Chagoya (Mexico) 1

Different metabolic changes in the lateral geniculate nucleus and the superior colliculus of adult rats after simultaneous or delayed double enucleation
K. Zilles, A. Wree, B. Petrovic-Minic, A. Schleicher and T. Beck (F.R.G., Yugoslavia) 14

The electromotor system of the electric eel investigated with horseradish peroxidase as a retrograde tracer
M.V.L. Bennett and C. Sandri (U.S.A., Switzerland) 22

Ventral and dorsal horn acetylcholinesterase neurons are maintained in organotypic cultures of postnatal rat spinal cord explants
J. Delfs, J. Friend, S. Ishimoto and D. Saroff (U.S.A.) 31

The release of Leu^5-enkephalin-like immunoreactivity from chicken retina is reduced by light in vitro
M.K. Boelen, M. Dowton and I.W. Chubb (Australia) 43

Contribution of nucleus medianus to the drinking and pressor responses to angiotensin II acting at subfornical organ
M.B. Gutman, D.L. Jones and J. Ciriello (Canada) 49

Intracellular analysis of excitatory subthalamic inputs to the pedunculopontine neurons
A.R. Granata and S.T. Kitai (U.S.A.) 57

Injection of benzodiazepines but not GABA or muscimol into pars reticulata of substantia nigra suppresses pentylenetetrazol seizures
H. Zhang, H.C. Rosenberg and E.I. Tietz (U.S.A.) 73

Large enhancement of excitatory postsynaptic potentials and currents by thyrotropin-releasing hormone (TRH) in frog spinal motoneurones
G. Lacey, A. Nistri and E.R. Rhys-Maitland (U.K.) 80

Somatostatin: evidence for a role in thermal nociception
C.R. Morton, W.D. Hutchison, I.A. Hendry and A.W. Duggan (Australia) 89

Release of luteinizing hormone-releasing hormone: interrelations between eicosanoids and catecholamines
M. Saadi, K. Gerozissis and F. Dray (France) 97

Guanosine-5′-*O*-thiodiphosphate functions as a partial agonist for the receptor-independent stimulation of neural adenylate cyclase
M.M. Rasenick, J.M. Hughes and N. Wang (U.S.A.) 105

Cobalt-sensitive and dihydropyridine-insensitive stimulation of dopamine release from tuberoinfundibular neurons by high extracellular concentrations of barium ions
M. Taglialatela, L.M.T. Canzoniero, S. Amoroso, A. Fatatis, G.F. Di Renzo and L. Annunziato (Italy) 114

Evidence that both intragastric and subcutaneous administration of methylenedioxymethylamphetamine (MDMA) produce serotonin neurotoxicity in rhesus monkeys
M.S. Kleven, W.L. Woolverton and L.S. Seiden (U.S.A.) 121

Locus ceruleus discharge characteristics of morphine-dependent rats: effects of naltrexone
R.J. Valentino and R.G. Wehby (U.S.A.) 126

Responses of neurons in nucleus ventralis posterolateralis of the cat thalamus to hypogastric inputs
F. Asato and T. Yokota (Japan) 135

A study on the retinal ganglion cell which has an uncrossed bifurcating axon in the albino rat
T. Yamadori, T. Nakamura and K. Takami (Japan) 143

A physiological study of the monosynaptic reflex responses of cat spinal α-motoneurons after partial lumbosacral deafferentation
J. Hellgren and J.-O. Kellerth (Sweden) 149

Specific L-arginine taste receptor sites in the catfish, *Ictalurus punctatus:* biochemical and neurophysiological characterization
D.L. Kalinoski, B.P. Bryant, G. Shaulsky, J.G. Brand and S. Harpaz (U.S.A.) 163

Activation of μ-opioid receptors in the nucleus raphe dorsalis blocks apomorphine-induced aggression in rats: serotonin appears not to be involved
O. Giraud, L. Cervo, G. Grignaschi and R. Samanin (Italy) 174

(contents continued on pp. 411/412)

Cited in Biological Abstracts (BIOSIS) — Chem. Abstracts — Index Medicus — Current Contents (Life Sci.) — Excerpta Medica (EMBASE) — Psychological Abstracts (PsycINFO) — PASCAL M

BRAIN RESEARCH

VOL. 488 NO. 1/2 CONTENTS 29 MAY 1989

Research Reports

Newborn humans and rats malnourished in utero: free plasma L-tryptophan, neutral amino acids and brain serotonin synthesis
J. Hernández R., G.G. Manjarréz and G. Chagoya (Mexico) 1

Different metabolic changes in the lateral geniculate nucleus and the superior colliculus of adult rats after simultaneous or delayed double enucleation
K. Zilles, A. Wree, B. Petrovic-Minic, A. Schleicher and T. Beck (F.R.G., Yugoslavia) 14

The electromotor system of the electric eel investigated with horseradish peroxidase as a retrograde tracer
M.V.L. Bennett and C. Sandri (U.S.A., Switzerland) 22

Ventral and dorsal horn acetylcholinesterase neurons are maintained in organotypic cultures of postnatal rat spinal cord explants
J. Delfs, J. Friend, S. Ishimoto and D. Saroff (U.S.A.) 31

The release of Leu^5-enkephalin-like immunoreactivity from chicken retina is reduced by light in vitro
M.K. Boelen, M. Dowton and I.W. Chubb (Australia) 43

Contribution of nucleus medianus to the drinking and pressor responses to angiotensin II acting at subfornical organ
M.B. Gutman, D.L. Jones and J. Ciriello (Canada) 49

Intracellular analysis of excitatory subthalamic inputs to the pedunculopontine neurons
A.R. Granata and S.T. Kitai (U.S.A.) 57

Injection of benzodiazepines but not GABA or muscimol into pars reticulata of substantia nigra suppresses pentylenetetrazol seizures
H. Zhang, H.C. Rosenberg and E.I. Tietz (U.S.A.) 73

Large enhancement of excitatory postsynaptic potentials and currents by thyrotropin-releasing hormone (TRH) in frog spinal motoneurones
G. Lacey, A. Nistri and E.R. Rhys-Maitland (U.K.) 80

Somatostatin: evidence for a role in thermal nociception
C.R. Morton, W.D. Hutchison, I.A. Hendry and A.W. Duggan (Australia) 89

Release of luteinizing hormone-releasing hormone: interrelations between eicosanoids and catecholamines
M. Saadi, K. Gerozissis and F. Dray (France) 97

Guanosine-5′-*O*-thiodiphosphate functions as a partial agonist for the receptor-independent stimulation of neural adenylate cyclase
M.M. Rasenick, J.M. Hughes and N. Wang (U.S.A.) 105

Cobalt-sensitive and dihydropyridine-insensitive stimulation of dopamine release from tuberoinfundibular neurons by high extracellular concentrations of barium ions
M. Taglialatela, L.M.T. Canzoniero, S. Amoroso, A. Fatatis, G.F. Di Renzo and L. Annunziato (Italy) 114

Evidence that both intragastric and subcutaneous administration of methylenedioxymethylamphetamine (MDMA) produce serotonin neurotoxicity in rhesus monkeys
M.S. Kleven, W.L. Woolverton and L.S. Seiden (U.S.A.) 121

Locus ceruleus discharge characteristics of morphine-dependent rats: effects of naltrexone
R.J. Valentino and R.G. Wehby (U.S.A.) 126

Responses of neurons in nucleus ventralis posterolateralis of the cat thalamus to hypogastric inputs
F. Asato and T. Yokota (Japan) 135

A study on the retinal ganglion cell which has an uncrossed bifurcating axon in the albino rat
T. Yamadori, T. Nakamura and K. Takami (Japan) 143

A physiological study of the monosynaptic reflex responses of cat spinal α-motoneurons after partial lumbosacral deafferentation
J. Hellgren and J.-O. Kellerth (Sweden) 149

Specific L-arginine taste receptor sites in the catfish, *Ictalurus punctatus:* biochemical and neurophysiological characterization
D.L. Kalinoski, B.P. Bryant, G. Shaulsky, J.G. Brand and S. Harpaz (U.S.A.) 163

Activation of μ-opioid receptors in the nucleus raphe dorsalis blocks apomorphine-induced aggression in rats: serotonin appears not to be involved
O. Giraud, L. Cervo, G. Grignaschi and R. Samanin (Italy) 174

(contents continued on pp. 411/412)

Cited in Biological Abstracts (BIOSIS) — Chem. Abstracts — Index Medicus — Current Contents (Life Sci.) — Excerpta Medica (EMBASE) — Psychological Abstracts (PsycINFO) — PASCAL M

(contents continued from backcover)

Maintenance of host medullary nucleus gracilis neurons after C3 homografting of fetal spinal cord into host fasciculus gracilis
J.J. Bernstein and W.J. Goldberg (U.S.A.) 180
Characterization of the relation between sodium channels and electrical activity in cultured rat skeletal myotubes: regulatory aspects
C. Brodie, M. Brody and S.R. Sampson (Israel) 186
Differential effects of acetylsalicylic acid and acetaminophen on sleep abnormalities in a rat chronic pain model
C.A. Landis, C.R. Robinson, C. Helms and J.D. Levine (U.S.A.) 195
Rat olfactory cells and a central nervous system neuronal subpopulation share a cell surface antigen
R.A. Akeson and S.L. Haines (U.S.A.) 202
Serotonin innervation of the cerebral cortex in lizards
S. Guirado, A. de la Calle, A. Gutiérrez and J.C. Dávila (Spain) 213
Differences in saccharin-induced cerebral glucose utilization between obesity-prone and -resistant rats
B.E. Levin and A.C. Sullivan (U.S.A.) 221
Modulation of central nervous system actions of corticotropin-releasing factor by dynorphin-related peptides
J.M. Overton and L.A. Fisher (U.S.A.) 233
Representation of vibrissae inputs through the climbing fiber pathway in lobule VII of the adult rat cerebellar vermis
M.A. Thomson, G. Piat, V. Cordonnier, L. Ellouze-Kallel, N. Delhaye-Bouchaud and J. Mariani (France) 241
Projections of androgen-accumulating neurons in a nucleus controlling avian song
F. Sohrabji, K.W. Nordeen and E.J. Nordeen (U.S.A.) 253
Facilitation by forskolin of electrically evoked vasopressin release in vitro requires bursting pattern of stimulation
M. Treiman, K. Allesøe and S. von Spreckselen (Denmark) 260
Expression of cell adhesion molecules from the L2/HNK-1 family in cerebellar isografts in mice
M. Poltorak, W.J. Freed and M. Schachner (U.S.A., F.R.G.) 265
Day–night differences in the sensitivity of adrenoceptors in the Syrian hamster pineal gland: an in vivo iontophoretic study
J. Stehle, S. Reuss and L. Vollrath (F.R.G.) 275
An electron microscopic study on VIP-, BOM- and CCK-like immunoreactive terminals in the celiac-superior mesenteric ganglion complex of the guinea pig
M. Hamaji, Y. Kawai, Y. Kawashima and M. Tohyama (Japan) 283
Further evidence in support of taurine as a mediator of synaptic transmission in the frog spinal cord
A.L. Padjen, G.M. Mitsoglou and H. Hassessian (Canada) 288
The influence of central hyperosmotic solutions on drinking and vasopressin release following peripheral hyperosmotic NaCl in the minipig
S.N. Thornton, B.A. Baldwin and M.L. Forsling (U.K.) 297
Does cholecystokinin induce physiological satiety and sleep?
Z. de Saint-Hilaire-Kafi, H. Depoortere and S. Nicolaïdis (France, Switzerland) 304
Autoradiographic localization of μ-opioid and neurotensin receptors within the mesolimbic dopamine system
R.P. Dilts and P.W. Kalivas (U.S.A.) 311

Short Communications

Functional substance P receptors on a human astrocytoma cell line (U-373 MG)
C.-M. Lee, W. Kum, C.S. Cockram, R. Teoh and J.D. Young (Hong Kong) 328
Degeneration of optic axons induces the expression of major histocompatability antigens
K. Rao and R.D. Lund (U.S.A.) 332
Voltage-dependent opening of single calcium-activated potassium channels in *Helix* neurons
H. Chagneux, C. Ducreux and M. Gola (France) 336
Effects of bicuculline on signal detectability in lateral geniculate nucleus relay cells
R.N. Holdefer, T.T. Norton and D.W. Godwin (U.S.A.) 341
Effects of bicuculline on receptive field center sensitivity of relay cells in the lateral geniculate nucleus
T.T. Norton, R.N. Holdefer and D.W. Godwin (U.S.A.) 348
Differential effect of norepinephrine upon granule cells and interneurons in the dentate gyrus
G.M. Rose and K.C.H. Pang (U.S.A.) 353
Comparative study on barbiturates using isolated single neurons: GABA-mimetic action and augmentatory action on GABA response
T. Yakushiji, Y. Oyama and N. Akaike (Japan) 357
Repeated noise exposure affects muscarinic cholinergic receptors in the rat brain
H. Lai, M.A. Carino and Y.-F. Wen (U.S.A.) 361

(continued overleaf)

Seasonal changes in the nucleoli of Purkinje cells of the hedgehog cerebellum
S. Giacometti, E. Scherini and G. Bernocchi (Italy) 365
Does cholecystokinin colocalize with dopamine in the human substantia nigra?
J.M. Palacios, M. Savasta and G. Mengod (Switzerland) 369
Loss of ocular dominance columns with maturity in the monkey, *Callithrix jacchus*
W.B. Spatz (F.R.G.) 376
The distribution of neurotensin receptors and acetylcholinesterase in the human caudate nucleus: evidence for the existence of a third neurochemical compartment
R.L.M. Faull, M. Dragunow and J.W. Villiger (New Zealand) 381
Chronic septal lesions cause upregulation of cholinergic but not noradrenergic hippocampal phosphoinositide hydrolysis
D.J. Connor and L.E. Harrell (U.S.A.) 387
Retinohypothalamic pathway: a breach in the law of Newton-Müller-Gudden?
M. Magnin, H.M. Cooper and G. Mick (France) 390
Subfornical organ activation stimulates luteinizing hormone secretion in the rat
S.D. Donevan, D.A. Van Vugt and A.V. Ferguson (Canada) 398
Maternal exposure to 1,1,2-trichloroethylene affects myelin in the hippocampal formaton of the developing rat
L.G. Isaacson and D.H. Taylor (U.S.A.) 403

Author Index 408